



## Formula List

For the equation  $ax^2 + bx + c = 0$   $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$

Curved surface area,  $A$ , of cylinder of radius  $r$ , height  $h$ .  $A = 2\pi rh$

Curved surface area,  $A$ , of cone of radius  $r$ , sloping edge  $l$ .  $A = \pi rl$


Curved surface area,  $A$ , of sphere of radius  $r$ .  $A = 4\pi r^2$

Volume,  $V$ , of pyramid, base area  $A$ , height  $h$ .  $V = \frac{1}{3}Ah$

Volume,  $V$ , of cylinder of radius  $r$ , height  $h$ .  $V = \pi r^2 h$

Volume,  $V$ , of cone of radius  $r$ , height  $h$ .  $V = \frac{1}{3}\pi r^2 h$

Volume,  $V$ , of sphere of radius  $r$ .  $V = \frac{4}{3}\pi r^3$



$$\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$$

$$a^2 = b^2 + c^2 - 2bc \cos A$$

$$\text{Area} = \frac{1}{2}bc \sin A$$

Answer **all** the questions.

- 1 These are the scores of 10 students in a test.

7      15      9      4      16      6      8      11      12      10

Find

- (a) the median,

..... [2]

- (b) the mean.

..... [2]

- 2 A regular polygon has 24 sides.

Find the size of each interior angle of the polygon.

..... [3]

3  $P = 2a + b^2 - 3c$

Find  $P$  when  $a = 5$ ,  $b = -4$  and  $c = -3$ .

$P =$  ..... [2]

- 4 You are given that  $\sqrt{7} = 2.65$  and  $\sqrt{70} = 8.37$ , each correct to 2 decimal places.

Use this information to find the value of

(a)  $\sqrt{700}$ ,

..... [1]

(b)  $\sqrt{280}$ .

..... [1]

- 5 A biased 5-sided spinner is spun 200 times.  
The results are shown in the table.

Number	1	2	3	4	5
Frequency	24	48	63	38	27

- (a) Find the relative frequency of the spinner landing on 2.

..... [1]

- (b) The spinner is spun 1000 times.

Find the expected number of times that the spinner lands on 2.

..... [1]

- 6 Solve  $2x + 6 > 5x - 10$ .

..... [2]

7 Describe **fully** the inverse of each transformation.

(a) Translation by  $\begin{pmatrix} -2 \\ 5 \end{pmatrix}$ .

..... [2]

(b) Enlargement with centre (2, 3) and scale factor 2.

.....

..... [2]

8 Find the value of  $125^{-\frac{1}{3}}$ .


..... [1]

9  $y$  is inversely proportional to  $x^3$ .  
When  $x = 5$ ,  $y = 2$ .

Find  $y$  when  $x = 10$ .

$y =$  ..... [3]

10



Find the value of  $x$ .

$$x = \dots\dots\dots [3]$$

11 Simplify.

$$\frac{ax^2 + 5ax + bx + 5b}{x^2 - 25}$$

$$\dots\dots\dots [3]$$

12  $f(x) = 11x + 2$

$g(x) = \sin x^\circ$


(a) Find  $f^{-1}(x)$ .

$$f^{-1}(x) = \dots\dots\dots [2]$$

(b) Find  $g(f(8))$ .

$$\dots\dots\dots [2]$$

13



$A, B, C$  and  $D$  are points on the circle.  
 $PQ$  is a tangent to the circle at  $D$ .  
 Angle  $BDQ = 55^\circ$ .

Complete these statements giving a reason for each answer.

(a) Angle  $BAD = \dots\dots\dots$  because  $\dots\dots\dots$   
 $\dots\dots\dots$  [2]

(b) Angle  $BCD = \dots\dots\dots$  because  $\dots\dots\dots$   
 $\dots\dots\dots$  [2]

14  $4 \log y + 3 \log x = 2$

Find  $y$  in terms of  $x$ .

$\dots\dots\dots$  [3]